

PRECISE. POWERFUL. DEPENDABLE. WORLD-CLASS EQUIPMENT.

DISINFECTION PRODUCT CATALOG 2020

A FAMILY OF BRANDS WITH ONE SHARED PURPOSE

Our customers are on the front lines taking on pests, germs and other challenges that threaten peace of mind. That's why our products can't afford to fail. It's why we obsess over every detail and innovate with precise intention. Everything we do is to empower our customers with the best professional equipment in the world, so they can get the job done to the highest potential.

WE ARE pelsis

To find out more about the Pelsis Group and our brands, visit pelsis.com



AGRISENSE

THE BEST DISINFECTION EQUIPMENT WHERE IT MATTERS MOST.

Disinfection is much more complex than spraying a surface and getting results. Every environment, surface and application requires a different process to ensure the treatment is as effective as possible. As the leader in the industry, you can trust in our products to get the job done right every time.





Hurricane ES Hand-carry electrostatic ULV fogger



Tornado & Tornado Flex Hand-carry electric ULV fogger



Portable Aerosol System (PAS) Aerosol electric ULV fogger



Versa-Fogger Gasoline-powered backpack ULV fogger



Hurricane Ultra II Hand-carry electric ULV fogger



Flex-A-Lite 2600 Hand-carry electric ULV fogger



Portable Aerosol System (PAS), Cart Mounted Aerosol electric ULV fogger



Twister XL3 Gasoline-powered backpack ULV fogger



Cyclone Ultra Hand-carry electric ULV fogger



Dyna-Jet L-30 Battery-powered electric truck-mount ULV fogger



Nightstar Automated, electric ULV fogger, cart-mounted

THE RIGHT PRODUCTS. THE RIGHT APPLICATION. THE RIGHT WAY.

Our products are known for being the best in the world. And when used for the right application, they're unstoppable. Backed by decades of expertise and dependability, we can help you find the perfect equipment for any surface or any space. Use this guide to find exactly what you're looking for.

OUTDOOR SPACES \Leftrightarrow

Label directions must be read, understood and followed. Personal protection equipment (PPE) prevents exposure during application by hand-carry and backpack foggers. Air currents outdoors will reduce coverage and carry droplets away to non-target sites. Open doors and air vents near treated areas may allow fog to enter. Consider the length and width of the droplet plume when using hand-carry foggers. Over-application to surfaces results in runoff on wet surfaces. Use ear-protection when using backpack foggers.

| LOCATION | EQUIPMENT TYPE | PRODUCT |
|--|--|---|
| LARGE OPEN SPACES Surfaces in sports stadiums, auto-racing venues, amphitheaters | Backpack ULV fogger (gasoline power) | Twister XL3 Versa-Fogger |
| CRITICAL SURFACES Handrails, door handles, vending machines, water fountains, golf carts | Hand-carry ULV fogger (electric) | Hurricane ES (electrostatic) Hurricane Ultra II |
| SEMI-OPEN SURFACES Bus, tram and train station platforms, car-park elevators | Backpack ULV fogger (gasoline power) Hand-carry ULV fogger (electric) | Twister XL3 Versa-Fogger Hurricane ES (electrostatic) Hurricane Ultra II |

INDOOR SPACES 🏠

Label directions must be read, understood and followed. Personal protection equipment (PPE) prevents exposure during application by hand-carry foggers in small spaces. Air currents in confined spaces will distribute small droplets during and after application. Re-entry of treated areas must take into consideration that the deposition of small droplets in the fog may require 30 minutes. Consider the length and width of the droplet plume when using hand-carry foggers. Over-application to surfaces will result in runoff on wet surfaces.

| LOCATION | EQUIPMENT TYPE | PRODUCT |
|---|--|-------------------------------------|
| ENCLOSED SPACES | | |
| Rooms, office cubicles, hallways, kitchens, | Hand-carry ULV fogger 1, 1.5-gal tank (electric) | Hurricane ES |
| elevators, school and commercial buses, | | Flex-A-Lite 2600 |
| train cars, commercial trucks | | Hurricane Ultra II Cyclone Ultra |
| | Carry-case and cart-mounted ULV fogger 1, 3-gal tank | Portable Aerosol System |
| | | T OI LADIE AETUSOI SYSTEM |
| CRITICAL SURFACES | | |
| Handrails, doors, hospital bed frames, | Hand-carry ULV fogger 1-gal tank | Hurricane ES (electrostatic) |
| vending machines, water fountains | | Hurricane Ultra II |
| LARGE ROOM SURFACES | | |
| Office desks, chairs and breakrooms, | Hand-carry electric ULV fogger 1, 3-gal tank | Flex-A-Lite 2600 |
| gym bleachers and locker rooms, | | Hurricane Ultra II |
| training rooms, large commercial | | Cyclone Ultra |
| kitchens, hotel lobbies, luggage | | Tornado, Tornado Flex |
| storage rooms, theaters | Carry-case and cart-mounted ULV fogger 1, 3-gal tank | Portable Aerosol System |
| | Automated ULV fogger (cart mounted) | Nightstar |
| LARGE CLOSED SPACES | | |
| Airport and hotel lobbies, sports | Cart-mounted ULV fogger with 300 ft | Nightstar |
| arenas, convention centers | droplet plume to treat 60,000 cu ft | Dyna-Jet L-30 |

HURRICANE ES

Hand-carry electrostatic ULV fogger

EVEN COVERAGE ON THE ENTIRE TARGET SURFACE EVERY TIME.

Built for precision, the Hurricane ES uses electrostatic technology to charge each droplet, providing uniform coverage on indoor and outdoor critical and semi-open surfaces. Target handrails, doorknobs and other high-touch surfaces, as well as train stations and enclosed spaces with this point-and-spray directional ULV fogger.

$ar{}$ critical surfaces, semi-open surfaces & enclosed spaces

Handrails, doors, hospital bed frames, vending machines, water fountains, golf carts; bus, tram & train station platforms, car-park elevators; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

| ELECTROSTATIC THRESHOLD DISTANCE | - 12–18 in from front of the fogger |
|----------------------------------|---------------------------------------|
| SYSTEM | - Hand-carry |
| TANK SIZE | - 1-gal tank |
| WEIGHT | - 6.6 lbs (empty) |
| ADJUSTABLE FLOW RATES | - 0–6.6 oz/min, 3 gal/hr |
| DROPLET SIZE | - 10–50 microns, droplet throw 15 ft |
| COVERAGE | - 60–80 sq ft |
| MODEL # 3001-5 | - 110/120 volt AC, 6.8 amps, 50/60 hz |
| MODEL # 3001-6 | - 220/240 volt AC, 3.4 amps, 50/60 hz |
| DISINFECTANT COMPATIBILITY | - Water-based formulations |
| DIMENSIONS | - H 14 in / W 10 in / L 11.5 in |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS





| ITEM # | DESCRIPTION | MODEL # | ORDER # |
|--------|-----------------------|---------|---------|
| 1 | Hurricane ES 110 volt | 3001-5 | 62150-3 |
| 2 | Hurricane ES 220 volt | 3001-6 | 62150-4 |

HURRICANE ES



6-FT ELECTRIC POWER CORD INCLUDED

HURRICANE ULTRA II

Hand-carry electric ULV fogger

ALL THE POWER AND PRECISION TO TACKLE SURFACES BOTH LARGE AND SMALL.

The Hurricane Ultra II is a premier choice for critical, high-touch surfaces, large indoor areas and outdoor semi-open surfaces. Confidently disinfect indoor enclosed spaces such as elevators and buses, as well outdoor areas like train station platforms. Its chemical-resistant precision nozzle and low-profile, sturdy tank make the Hurricane Ultra II both functional and incredibly reliable.

 \succeq indoor / outdoor

Δ critical surfaces, semi-open surfaces, large room surfaces & enclosed spaces

Handrails, doors, hospital bed frames, vending machines, water fountains, golf carts; bus, tram & train station platforms, car-park elevators; office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

| SYSTEM | Hand-carry |
|----------------------------|---|
| TANK SIZE | - 1-gal tank |
| WEIGHT | 6.6 lbs (empty) |
| ADJUSTABLE FLOW RATES | 0–6.6 oz/min, 3-gal/hr |
| DROPLET SIZE | 10–50 microns, droplet throw 15 ft |
| COVERAGE | 60-80 sq ft (for water-based application) |
| MODEL # 2794 | 110/120 volt AC, 6.8 amps, 50/60 hz |
| MODEL # 2796 | 220/240 volt AC, 3.4 amps, 50/60 hz |
| DISINFECTANT COMPATIBILITY | Water- and oil-based formulations |
| DIMENSIONS | H 14 in / W 12 in / L 12 in |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS





| ITEM # | DESCRIPTION | MODEL # | ORDER # |
|--------|-----------------------------|---------|---------|
| 1 | Hurricane Ultra II 110 volt | 2794 | 62150-1 |
| 2 | Hurricane Ultra II 220 volt | 2796 | 62150-2 |

HURRICANE ULTRA II



• Low-profile design virtually eliminates tipping

6-FT ELECTRIC POWER CORD INCLUDED

CYCLONE ULTRA

Hand-carry electric ULV fogger

TAKE ON INDOOR AREAS WITH ULTIMATE EFFICIENCY. JUST SPRAY AND WALK AWAY.

Apply disinfectants more efficiently with the Cyclone Ultra. Equipped with a Microtec[™] nozzle, the Cyclone creates small, consistent droplets that evaporate, so you can spray and walk away without wiping. Quickly and reliably disinfect large indoor surfaces and enclosed spaces in heavily trafficked areas.

INDOOR

igtriangle large room surfaces & enclosed spaces

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

| SYSTEM | - Hand-carry |
|----------------------------|---|
| TANK SIZE | - 1-gal tank |
| WEIGHT | - 9.3 lbs (empty) |
| ADJUSTABLE FLOW RATES | - 1.4–3.1 oz/min, 0.6–1.5 gal/hr |
| DROPLET SIZE | - 8–10 microns, droplet throw 8–12 ft (formulations with high viscosity have larger droplets, 20-24 microns) |
| BLOWER | - Continuous duty, 200,000 rpm with replaceable brushes |
| MODEL # 2734 | - 110/120 volt AC, 8.5 amps, 50/60 hz |
| MODEL # 2736 | - 220/240 volt AC, 4.2 amps, 50/60 hz |
| DISINFECTANT COMPATIBILITY | - Water- and oil-based formulations with moderate to high viscosity |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS



E





Schools

Offices Assisted Living Centers



Kitchens



| | ITEM # | DESCRIPTION | MODEL # | ORDER # |
|---|--------|------------------------|---------|---------|
| | 1 | Cyclone Ultra 110 volt | 2734 | 62250-1 |
| - | 2 | Cyclone Ultra 220 volt | 2736 | 62250-2 |

CYCONE ULTRA



• Corrosion & impact resistant

TORNADO, TORNADO FLEX

Hand-carry electric ULV fogger

CAPACITY TO COVER LARGE ROOM SURFACES IN ONE PASS.

The Tornado and Tornado Flex are built with a large 3-gallon tank for extended use. These hand-carry ULV foggers are ideal for disinfection of large indoor surfaces—such as theater seats and commercial kitchens without frequent refills. The Tornado Flex has an 18-inch hose for more directional application and precision.

INDOOR

LARGE ROOM SURFACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters

SPECIFICATIONS

| SYSTEM | - Hand-carry |
|----------------------------|---|
| HOSE | - Tornado Flex: 18 in |
| TANK SIZE | - 3-gal tank |
| WEIGHT | – Tornado: 18.8 lbs (empty) Tornado Flex: 20 lbs (empty) |
| ADJUSTABLE FLOW RATES | - 2.4–11.4 oz/min, 1.1–5.3 gal/hr |
| DROPLET SIZE | - 5-40 microns |
| MODEL # 2895 | 110/125 volt AC, 8.5 amps, 50/60 hz |
| MODEL # 2897 | 210/250 volt AC, 4.2 amps, 50/60 hz |
| DISINFECTANT COMPATIBILITY | - Water- and oil-based formulations with moderate to high viscosity |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS







MODEL #





Hotels

Schools

Offices Assisted Livina Centers

Fitness Clubs



ORDER #





| Tornado 110 volt | 2895 | 62380 |
|------------------|------|-------|
| Tornado 220 volt | 2897 | 62382 |



FLEX-A-LITE 2600

Hand-carry electric ULV fogger

AN ICONIC FOGGER WITH A FLAWLESS TRACK RECORD.

The industry standard in point-and-spray ULV foggers, the Flex-A-Lite 2600's reputation precedes itself. With a 1.5-gallon tank and four sturdy feet, you can plant the Flex-A-Lite on the ground securely. This rugged and dependable ULV fogger can cover large indoor surfaces and enclosed spaces such as hotel lobbies and train cars with a hose for directional application.



Δ large room surfaces & enclosed spaces

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

| SYSTEM | - Hand-carry |
|----------------------------|---|
| HOSE | - 18 in |
| TANK SIZE | - 1.5-gal tank |
| ADJUSTABLE FLOW RATES | - 0-9.4 oz/min, 0-4.4 gal/hr |
| DROPLET SIZE | - ULV (20–35 microns) to power mist (56 microns), droplet throw 15 ft |
| COVERAGE | - 40 sq ft at high application setting |
| DISINFECTANT COMPATIBILITY | - Water- and oil-based formulations with low to moderate viscosity |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS







Hotels Schools

Centers

Offices

Assisted Living Fitness Clubs



ubs Kitchens



FLEX-A-LITE-2600



17

DYNA-JET L-30

Battery-powered (electric) truck-mount ULV fogger

WHERE POWER AND ACCURACY MEET MOBILITY AND EFFICIENCY.

Cover more ground with the Dyna-Jet L-30 truck-mount ULV fogger. This powerful yet compact battery-operated cold fogger is perfect for airports, arenas and other large, highly populated indoor spaces. With a quiet battery, wide plume and accurate rotary atomizer, you can cover areas with small droplets that evaporate quickly for incredibly efficient disinfection.

INDOOR

LARGE CLOSED SPACES

Airport and hotel lobbies, sports arenas, convention centers, warehouses

SPECIFICATIONS

| ENGINE | Atomizer motor 12 volt DC, brushless, high speed-shielded bearings, water-resistant cover | 12 volt high-p with AC charge |
|----------------------------|---|---|
| BLOWER | ———— High-output, 1,350 cu ft/min | Synchroflow I |
| SYSTEM | ———— Truck mount | • Dyna-trax GP |
| TANK SIZE | ———— 15-gal tank | Digital tachor |
| FLUSH TANK SIZE | ———— 1-gal tank | • AC timer kit |
| WEIGHT | ———— 147 lbs (with battery), 105 lbs (without battery) | Large capacit |
| ADJUSTABLE FLOW RATES | ———— 14 oz/min, swath distance (30 m) | Application-s |
| DROPLET SIZE | 90% of droplets 20 microns or below, droplet throw 50 ft | • Water-resista |
| DIMENSIONS | ———— H 39 in / W 29 in / L 44 in | |
| SHIPPING DATA | ———— H 46 in / W 36 in / L 46 in | |
| NOISE LEVEL | 69 db at loudest point | |
| DISINFECTANT COMPATIBILITY | | |
| | | |

OPTIONAL

- performance battery rging kit
- **Radar Flow Control**
- PS tracking system
- ometer
- city filter kit
- specific formulation filters
- tant machine cover

IDEAL FOR LARGE COMMERCIAL AREAS









Stadiums



Hotels

Convention Centers

Warehouses

| ITEM # | DESCRIPTION | MODEL # |
|--------|--|----------|
| 1 | Dyna-Jet L-30 Electric ULV Aerosol Generator | 65100 |
| 2 | Dyna-Jet L-30 Electric ULV Aerosol Generator - Export only | 65100-20 |
| 3 | Dyna-Jet L-30 Electric ULV GPS Syncroflow | 65100-1G |
| 4 | Dyna-Jet L-30 Electric ULV Radar Syncroflow | 65100-1R |

DYNA-JET L-30



PORTABLE AEROSOL SYSTEM (PAS)

Aerosol electric ULV fogger

PORTABLE, PINPOINT ACCURACY BUILT TO GO THE DISTANCE.

Known as a workhorse in the industry, the Portable Aerosol System (PAS) has fine-droplet fogging capabilities and a 10-foot point-and-spray hose for maximum control and mobility. The extra-long hose allows operators to move freely around spaces like airplanes, classrooms and buses, without needing to carry the entire unit. Add the extra wand extension for even more coverage from a distance.

INDOOR

LARGE ROOM SURFACES & ENCLOSED SPACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

| SYSTEM | - Hand-carry |
|----------------------------|--|
| HOSE | - Standard models: 10 ft, self-coiling, Commercial models: 15 ft, self-coiling |
| TANK SIZE | - 1-gal tank |
| ADJUSTABLE FLOW RATES | - 4-10 oz/min |
| DROPLET SIZE | 40–50 microns (at max flow rate, gauge 30 psi), droplet throw 15 ft with effective distance of 10 ft |
| COVERAGE | - 20 sq ft (at 30 psi) |
| DISINFECTANT COMPATIBILITY | - Water- and oil-based formulations with low to moderate viscosity |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS





Schools



Assisted Living

Centers





Fitness Clubs Theaters



PRODUCTS

Hotels

Offices

| Ę | |
|---|---------------------|
| ſ | |
| | |
| | Minine and a second |

| ITEM # | DESCRIPTION | ORDER # |
|--------|--|----------|
| 1 | PAS 110 volt with 9-in extension | 16290000 |
| 2 | PAS 110 volt with 18-in extension | 16300000 |
| 3 | Commercial PAS 110 volt with 9-in extension | 16270000 |
| 4 | Commercial PAS 110 volt with 18-in extension | 16400000 |
| 5 | PAS 220 volt with 18-in extension | 16310220 |
| 6 | Commercial PAS 220 volt with 18-in extension | 16410220 |
| | | |

PORTABLE AEROSOL SYSTEM (PAS)



CART-MOUNTED PORTABLE AEROSOL SYSTEM (PAS)

Aerosol electric ULV fogger

MOVE FREELY WITH CART-MOUNTED MOBILITY.

Everything the PAS is known for-long hose, added extension, targeted point-and-spray-but with a larger tank and extra mobility. Conveniently and efficiently treat classrooms, hotel and cruise ship spaces by rolling the cart-mounted PAS from room to room, or treat other large room surfaces and enclosed spaces with extra tank capacity.

INDOOR

LARGE ROOM SURFACES & ENCLOSED SPACES

Office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters; rooms, office cubicles, hallways, kitchens, elevators, school & commercial buses, train cars, commercial trucks

SPECIFICATIONS

| SYSTEM | - Cart-mounted |
|----------------------------|--|
| HOSE | - 15 ft, self-coiling |
| TANK SIZE | - 3-gal tank |
| ADJUSTABLE FLOW RATES | - 4–10 oz/min |
| DROPLET SIZE | 40–50 microns (at max flow rate, gauge 30 psi), droplet throw 15 ft with effective distance of 10 ft |
| COVERAGE | - 20 sq ft (at 30 psi) |
| DISINFECTANT COMPATIBILITY | - Water- and oil-based formulations with low to moderate viscosity |

IDEAL FOR COMMERCIAL AND RESIDENTIAL AREAS









Hotels

Offices Centers

Assisted Livina Fitness Clubs



Theaters





| ITEM # | DESCRIPTION | ORDER # |
|--------|---------------------------------------|----------|
| 1 | Cart-mounted PAS with 18-in extension | 12011030 |

CART MOUNTED PORTABLE AEROSOL SYSTEM (PAS)



NIGHTSTAR

Automated electric ULV fogger, cart-mounted

DISINFECT LARGE SPACES WITH AUTOMATED TECHNOLOGY.

The Nightstar large-capacity fan is completely automated, programmable and built to work hands-free. Perfect for fogging or treating large indoor spaces, the Nightstar can disinfect up to 60,000 square feet during down time or overnight, without an operator. Just set it up, and let the state-of-the-art technology do the work.



Δ large closed spaces & large room surfaces

Airport & hotel lobbies, sports arenas, convention centers; office desks, chairs, breakrooms, gym bleachers, locker rooms, training rooms, large commercial kitchens, hotel lobbies, luggage storage rooms, theaters

| SPECIFICATIONS | | ODTIONAL |
|-----------------------------|---|---------------|
| SPECIFICATIONS | | OPTIONAL |
| MOTOR | — Single phase, 50-60 hz | • 15-gal tank |
| SYSTEM | Automated, cart-mounted fan | |
| TANK SIZE | — 3-gal tank | |
| WEIGHT | — 220 lbs (empty) | |
| AIR OUTPUT | — 8,000 cfm | |
| FLOW RATE AND DROPLET SIZES | - 0.8gal/hr=8 microns; 2 gal=20 microns, | |
| | 2.5 gal=30 microns, 4.1 gal=50 microns | |
| DROPLET THROW | - With fan 300 ft, nozzle only 50 ft | |
| NOISE LEVEL | - 78 db at loudest point | |
| DISINFECTANT COMPATIBILITY | Water-based formulations | |

IDEAL FOR LARGE COMMERCIAL AND RESIDENTIAL AREAS



| 11611# | DESCRIPTION | HUDEL # | UNDEN # |
|--------|--------------------|---------|---------|
| 1 | Nightstar 110 volt | 1901 | 64100-1 |
| 2 | Nightstar 220 volt | 1902 | 64100-2 |

NIGHTSTAR



VERSA-FOGGER

Gasoline-powered backpack ULV fogger

COVER MORE GROUND WITH VERSA-FOGGER ON YOUR BACK.

Portable and powerful, the Versa-Fogger is ideal for outdoor spaces ranging from large stadium applications and surfaces, down to those hard-to-reach spots. With mobility, range and precision, this backpack ULV fogger fully covers every target.

-X- OUTDOOR

/ľ LARGE OPEN SPACES & SEMI-OPEN SURFACES

Surfaces in sports stadiums, auto-racing venues, amphitheaters; bus, tram & train station platforms, car-park elevators

SPECIFICATIONS

| ENGINE | Honda 4-stroke |
|----------------------------|--|
| SYSTEM | Gasoline-powered backpack |
| HOSE | 4 ft |
| TANK SIZE | 1-gal tank |
| WEIGHT | 26 lbs (empty) |
| DROPLET SIZE | 33-44 microns (oil-based formulations provide 20 micron droplets), effective droplet throw 10-12 ft |
| DISINFECTANT COMPATIBILITY | Water- and oil-based formulations |

OUTDOOR USE ONLY, IDEAL FOR COMMERCIAL AREAS






Platforms



| ITEM # | DESCRIPTION | ORDER # |
|--------|--------------|----------|
| 1 | Versa-Fogger | 45000000 |

VERSA-FOGGER



TWISTER XL3

Gasoline-powered backpack ULV fogger

COMPACT DESIGN WITH POWER ABOVE ITS WEIGHT CLASS.

The Twister XL3 is the premier, most sophisticated backpack ULV fogger on the market. With the remarkable Microtec™ nozzle and blower system, the Twister XL3 delivers small droplets and the highest flow rates in the industry. Used in open-air spaces like stadiums and amphitheaters, this gasoline-powered ULV fogger is strong, accurate and durable. If you want the best, most-advanced technology available, you want the Twister XL3.

-X- OUTDOOR

LARGE OPEN SPACES & SEMI-OPEN SURFACES

Surfaces in sports stadiums, auto-racing venues, amphitheaters; bus, tram & train station platforms, car-park elevators

SPECIFICATIONS

| ENGINE | - Honda 4-stroke, operating speed 7,500 rpm |
|----------------------------|--|
| SYSTEM | Gasoline-powered backpack |
| HOSE | - 4 ft |
| TANK SIZE | - 1-gal tank |
| WEIGHT | 26 lbs (dry weight) |
| ADJUSTABLE FLOW RATES | - 1.5–6 oz/min (interchangeable nozzles) |
| DROPLET SIZE | - 10–34 microns (oil-based formulations provide 10-micron droplets), effective droplet throw 10–12 ft |
| DISINFECTANT COMPATIBILITY | - Water- and oil-based formulations |
| DIMENSIONS | - H 22.5 in / W 12 in / L 14.7 in |
| SHIPPING DATA | - H 16 in / W 19 in / L 26 in; 36 lbs; 4.39 cu ft |

OUTDOOR USE ONLY, IDEAL FOR COMMERCIAL AREAS




Platforms



| ITEM # | DESCRIPTION | ORDER # |
|--------|-------------------------------|---------|
| 1 | Twister XL3 | 39750 |
| 2 | Optional Twin Nozzle Kit only | 39716 |

TWISTER XL3



Contact us to learn more:

800-544-8811 pelsis.com 135 Region South Drive, Jackson, GA 30233

WE ARE 🥑 pelsis

A FAMILY OF BRANDS WITH ONE SHARED PURPOSE

©2020 Pelsis LLC



CURTIS DYNA-FOG

SYNERGETIC





NETWORK

P**-I**L Systems Washroom

